

Due: 2012/9/19 before class

Homework 1

Problem 1. Calculate the following:

- (a) $\binom{10}{8}$;
- (b) The inverse of $1, 2, 3, 4, 5, 6$ in \mathbf{Z}_7 , i.e. for each $1 \leq i \leq 6$, find $j = i^{-1}$ such that $ij \equiv 1 \pmod{7}$;
- (c) The rightmost digit in the decimal $\binom{449}{137}$, i.e. $\binom{449}{137} \pmod{10}$.

Problem 2. Find the number of ordered pairs (A, B) such that $A, B \subseteq [n]$ and $A \cap B = \emptyset$.

Problem 3. Prove

$$\sum_{r=0}^n r^2 \binom{n}{r} = n(n+1)2^{n-2}.$$

For extra challenge, find a combinatorial proof.

Problem 4. Consider 20 blue segments $(0, i)-(9, i)$ and $(i, 0)-(i, 9)$ for $i = 0, 1, \dots, 9$. They form a matrix of 9×9 unit squares. A square is blue if it has four blue edges.

- (a) How many blue squares can you find in such a picture?
- (b) How many pairs of blue squares (A, B) can you find such that A and B are disjoint? (Two squares are disjoint if they do not share any interior points.)

Problem 5. Use the 9×9 unit squares again. If each unit square is filled with a distinct number from $[81]$, prove that there are always two neighboring squares (vertically or horizontally adjacent) with difference at least 9.